


Dock4 Architects

L4, 152 Elizabeth Street
Melbourne VIC 3000
+613 8376 6169

L1, 100 Collins Street
Hobart TAS 7000
+613 6231 0469

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES

FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



EXTERNAL FINISHES SCHEDULE			
CODE	ITEM	NOTES	FINISH
BK	BRICKWORK	EXISTING	RETAIN EXISITNG UNDAMAGED BRICKS FROM DEMOLITION WORKS AND REMOVE TO CLIENT STORAGE DEPOT LOCATION (WITHIN WANGARATTA CITY LOCATION)
CB1	HORIZONTAL METAL CLADDING	TO MATCH EXISTING (TO ROLLER SHUTTER PELMETS)	MATCH EXISTING
	FLASHINGS & CAPPINGS GENERALLY	TO MATCH EXISTING (IE TO CB1)	MATCH EXISTING
AWG	WINDOWS	DOUBLE GLAZED AS SPEC, REFER WINDOW SCHEDULE & SPECIFICATION	POWDERCOATED, PC1
ZN1	ZINCALUME SHEET	MIN. 2.0 BMT ZINCALUME SHEET FABRICATED WASTE PIPEWORK COVER (REFER DETAIL)	NATURAL FINISH, C/W STEEL FRAMING AND ACCESS PANELS (REFER DETAIL)
MCG1	FIXED HORIZONTAL LOUVRES	P'COATED STEEL C/W INSECT MESH, AS SPECIFIED (REFER DRGS)	POWDERCOATED TO MATCH EXISTING COLORBOND VERTICAL CLADDING OR EXISTING PAINTED CEMENT SHEET CLADDING (REFER DRAWINGS)

FINISHES SCHEDULE LEGEND					
ITEM		FINISH			
CODE	MATERIAL	CODE	MATERIAL/PRODUCT	PRODUCT DETAILS	COLOUR/FINISH/NOTES
CON	CONCRETE	FLOORS & SKIRTINGS			
EX. CON	EXISTING CONCRETE	CP1	FORBO CARPET TILES	FORBO FLOTEX FLOCKED CARPET	METRO LAGOON (BLUE), t546020
PMF	PRESSED METAL DOOR FRAME	CM1	CARPET MATTING	SPECTRUM EXCELLENCE FLOOR MATTING	BLUE, PE602
FTD	FLUSH TIMBER DOOR	ASV1	TARKETT SAFETY VINYL FLOORING	GRANIT SAFE-T	GRANIT BLUE, 0515, SLIP RESISTANCE R11
TMF	TIMBER DOOR FRAME/ REVEAL	SV1	TARKETT SAFETY VINYL FLOORING	iQ GRANIT	BLUE, 0340, SLIP RESISTANCE R10
TRL	TIMBER WINDOW REVEAL LININGS	SV2	TARKETT SAFETY VINYL FLOORING	iQ GRANIT	LIGHT BLUE, 0341, SLIP RESISTANCE R10
AWG	ALUMINIUM FRAMED WINDOW	SV3	FORBO VINYL FLOORING	ETERNAL MATERIAL	SAPPHIRE STONE, 12232, SLIP RESISTANCE R10
ADG	ALUMINIUM FRAMED GLZ DOOR	SE1	CONCRETE SEALER	CLEAR DULUX LUXAFLO ACS	OR SIMILAR TO APPROVAL
SST	STRUCTURAL STEEL FRAMING	SK1	SKIRTING -COVED FLOOR FINISH 100 UP WALL	N/A	N/A
RSG	ROLLER SHUTTER OR GRILLE	SK2	SKIRTING -KDHW, NOM. 18 THICK x 90/100 HIGH	BULLNOSE TOP	CF1 CLEAR FINISH -PROFILE & HEIGHT TO MATCH EXISTING WSAC VENTED SKIRTINGS
PB	PLASTERBOARD	SK3	SKIRTING -150 HIGH VINYL	FEATHER EDGE, PRODUCT TO APPROVAL	BLACK
FCC	FIBRE-CEMENT SHEET	MFR	SEALING TO MANUFACTURER'S RECOMMENDATIONS	AS REQUIRED	COAT OR SEAL TO MANUFACTURER'S RECOMMENDED PRODUCT DATA SHEET DETAILS
WALLS					
CT1	VITRIFIED WALL TILE 600 x 300			WHITE RECTIFIED GLOSS PORCELAIN, JOHNSON OR SIMILAR TO APPROVAL	GLOSS WHITE, 1.5mm JOINTS, BOSTIK 55 CHARCOAL GROUT
CT2	VITRIFIED WALL TILE 200 x 100 or 200 x 75 or 200 x 50 AS INSET PATTERN TO CT1 (NOTE: DO NOT MIX SIZES)			CLASSIC CERAMICS VOGUE SYSTEM, GLOSS OR SATIN RECTIFIED (OR SIMILAR SOLID-COLOURED RECTIFIED GLAZED PORCELAIN TILE TO APPROVAL)	COLOURS: Lavanda 'PURPLE', Ceruleo 'BLUE', Perla 'GREY', Ghiaccio 'WHITE' - IN EQUAL QUANTITIES (REFER DETAIL). 1.5mm JOINTS, BOSTIK 55 CHARCOAL GROUT - NOTE UP TO 12-WEEK LEAD TIME, PLACE ORDER AT CONTRACT COMMENCEMENT. ALTERNATIVE TILES CAN BE OFFERED BUT THESE NEED TO BE THE SAME OR IN VERY SIMILAR COLOURS.
CT3	VITRIFIED WALL TILE 200 x 100 or 200 x 75 or 200 x 50 AS INSET PATTERN TO CT1 (NOTE: DO NOT MIX SIZES)			CLASSIC CERAMICS VOGUE SYSTEM, GLOSS OR SATIN RECTIFIED (OR SIMILAR SOLID-COLOURED RECTIFIED GLAZED PORCELAIN TILE TO APPROVAL)	COLOURS: Pistacchio 'GREEN', Ceruleo 'BLUE', Perla 'GREY', Ghiaccio 'WHITE' - IN EQUAL QUANTITIES (REFER DETAIL). 1.5mm JOINTS, BOSTIK 55 CHARCOAL GROUT - NOTE UP TO 12-WEEK LEAD TIME, PLACE ORDER AT CONTRACT COMMENCEMENT. ALTERNATIVE TILES CAN BE OFFERED BUT THESE NEED TO BE THE SAME OR IN VERY SIMILAR COLOURS.
CT4	VITRIFIED WALL TILE 200 x 200 (BASIN SPLASHBACKS)			CLASSIC CERAMICS VOGUE SYSTEM, GLOSS OR SATIN RECTIFIED (OR SIMILAR SOLID-COLOURED RECTIFIED GLAZED PORCELAIN TILE TO APPROVAL)	COLOUR: Perla 'GREY' - REFER DETAIL. 1.5mm JOINTS, BOSTIK 55 CHARCOAL GROUT - NOTE UP TO 12-WEEK LEAD TIME, PLACE ORDER AT CONTRACT COMMENCEMENT. ALTERNATIVE TILES CAN BE OFFERED BUT THESE NEED TO BE THE SAME OR IN VERY SIMILAR COLOURS.
PLY1	9 THICK PLY SHEET, FACE QUALITY B, NOM. 2400 x 1200 PANELS			E0 EMISSION CLASS, SPECIES AS SPEC.	EXPRESSED JOINTS ON BLACK BACKING, C'SUNK FACE-FIXED. INSTALL FRAMING BEHIND FOR BENCH SEATS ETC, CF1 FINISH, INCL. BATTENS/TOPHATS AS REQUIRED.
PLY2	9 THICK PLY SHEET, FACE QUALITY C, NOM. 2400 x 1200 PANELS			E0 EMISSION CLASS, SPECIES AS SPEC.	EXPRESSED JOINTS, COUNTERSUNK FACE-FIXED, CF2 FINISH. INSTALL ADDITIONAL WALL FRAMING BEHIND FOR RACKING ETC, INCL. BATTENS/TOPHATS AS REQD.
PB1	13 MOISTURE RESISTANT PLASTERBOARD			GYPROCK AQUACHEK OR EQUAL	FLUSH JOINTS, PAINT FINISH, TO STUD FRAMING
PB2	13 ACOUSTIC PLASTERBOARD			GYPROCK SOUNDCHek OR EQUAL	FLUSH JOINTS, PAINT FINISH, TO STUD FRAMING
FC1	9 THICK FC SHEET, TO STUD FRAMING			HARDIES VILLABOARD OR EQUAL	EXPRESSED JOINTS, COUNTERSUNK FACE-FIXED, PAINT FINISH, INCL. BATTENS/TOPHATS AS REQD.
FRW1	2-HR CERTIFIED FIRE-RATED SHAFT WALL SYSTEM			GYPROCK SHAFT WALL SYSTEM OR EQUAL	NOM. 1500 HIGH FOR MECHANICAL SERVICES (UPPER FLOOR LEVEL), INCL. TOP AND ALL FIRE SEALING
SBB	NOM. 15 THICK CALCIUM SILICATE FIRE-RESISTANT BOARD			BELLIS FIREMASTER 550 OR EQUAL	BEHIND KITCHEN EQUIPMENT, TO MANUFACTURERS DETAIL & TO VIC ENERGYSAFE COMPLIANCE APPROVAL AND ALL OTHER RELEVANT REGULATIONS, ON & INCL. TOPHATS/BATTENS

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES
FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE




DELETED	CEILINGS (Square set to walls unless noted otherwise)			
	PLY3	9 THICK PLY SHEET, FACE QUALITY B, NOM. 2400 x 1200 PANELS	E0 EMISSION CLASS, SPECIES AS SPEC.	EXPRESSED JOINTS ON BLACK BACKING, C'SUNK FACE-FIXED, CF1 FINISH, INCL. FRAMING AS REQD.
	PLY4	9 THICK PLY SHEET, FACE QUALITY C, NOM. 2400 x 1200 PANELS	E0 EMISSION CLASS, SPECIES AS SPEC.	EXPRESSED JOINTS, COUNTERSUNK FACE-FIXED, CF2 FINISH, INCL. FRAMING AS REQD.
	PB3	13 MOISTURE RESISTANT PLASTERBOARD	GYPROCK AQUACHEK OR EQUAL	FLUSH JOINTS, PAINT FINISH, INCL. SUSPENSION SYSTEM/ FRAMING AS REQD.
	PB4	13 ACOUSTIC PLASTERBOARD	GYPROCK SOUNDCHek OR EQUAL	FLUSH JOINTS, PAINT FINISH, INCL. SUSPENSION SYSTEM/ FRAMING AS REQD.
	FC2	9 THICK FC SHEET	HARDIES VERSILUX OR EQUAL	EXPRESSED JOINTS, COUNTERSUNK FACE-FIXED, PAINT FINISH, INCL. BATTENS/TOPHATS AS REQD.
	JOINERY			
	MW1	MODWOOD BENCH SEAT SLATS	88 x 23 DECKING BOARDS	COLOUR 'BLACK BEAN', SMOOTH FINISH
	CUB1	SHOWER & TOILET CUBICLES	LAMINEX COMPACT 13mm MULTIPURPOSE	ZINCWORKS TO DOORS, POLAR WHITE ALL OTHER PANELS
	SS1	STAINLESS STEEL BENCHTOPS/ SPLASHBACK UPSTAND	REFER KITCHEN DRAWING	
	SSR	STAINLESS STEEL SERVERY COUNTER & JAMB REVEALS	REFER KITCHEN DRAWING	COUNTERS TO BE OVER 32mm SUBSTRATE, JAMBS OVER 16mm SUBSTRATE
	LAM1	JOINERY LAMINATE -CARCASS & FRONTS	LAMINEX	CALM WHITE 8522, NATURAL FINISH (MATCHING ABS EDGING)
	LAM2	JOINERY LAMINATE -BENCHTOPS	LAMINEX	BROOK PEBBLE 544, NATURAL FINISH (MATCHING ABS EDGING)
	LAM3	JOINERY LAMINATE -KICKERS/PLINTHS	LAMINEX	CHARCOAL
	LAM4	JOINERY LAMINATE -CLEANERS SHELVING	MELAMINE	WHITE -2 No. FIXED SHELVES x 300 DEEP & LENGTH AS SHOWN ON PLAN AT 1800 & 2100, ON & INCL. WHITE POWDERCOATED HD BRACKETS TO SUIT
	PAINTS & COATINGS (refer SPECIFICATION -PAINTING SCHEDULE for Haymes system details. Note Dulux paint colours are used for reference only, the equivalent Haymes colour formulas to be used)			
	P1	INTERNAL PLASTERBOARD/FCS & EXISTING BLOCKWORK WALLS	DULUX 'VIVID WHITE' 1W -WALLS GENERALLY, SATIN	
	P2a	INTERNAL TIMBER DOORS	COLOUR: TBC, SEMI-GLOSS	
	P2b	INTERNAL TIMBER DOORS	COLOUR: TBC, SEMI-GLOSS	
	P3	EXTERNAL TIMBER DOORS	COLOUR: TBC, SEMI-GLOSS	
	P4a	TIMBER FRAMES & REVEAL LININGS	COLOUR: TO MATCH P1 -INTERNAL TIMBER DOOR FRAMES, TIMBER REVEALS, GLOSS	
	P4b	JOINERY DOORS	COLOUR: TO MATCH P1 -SERVICE CUPBOARD DOORS, SEMI-GLOSS	
P5	INTERNAL CEILINGS	DULUX 'WHITE POLAR QUARTER' 2W -CEILINGS GENERALLY, FLAT		
P6	EXPOSED STEELWORK (INTERNAL)	COLOUR: TO MATCH P1		
CF1	CLEAR FINISH TO INTERNAL TIMBER	MIN. 2 COATS (QUANTUM MICROCLEAR INT. OR EQUAL) -LOW VOC, LOCAL PRODUCT		
CF2	CLEAR FINISH TO INTERNAL TIMBER	1 No. SEAL COAT (QUANTUM MICROCLEAR INT. OR EQUAL) -LOW VOC, LOCAL PRODUCT		
PC1	POWDERCOAT DULUX DURATEC ZEUS (20-YR GUARANTEE), COLOUR TBC -METAL LOUVRES, WINDOW FRAMES, EXTERNAL ROLLER SHUTTERS & GUIDES			
PC2	POWDERCOAT DULUX DURALLOY (10-YR GUARANTEE), COLOUR 'PEARL WHITE' 272-1114G -INTERNAL ROLLER SHUTTERS & GUIDES, JOINERY LEGS			
PC3	POWDERCOAT DULUX DURALLOY (10-YR GUARANTEE), COLOUR 'CHARCOAL SATIN' 272-88351 -BENCH SEAT BRACKETS/ LEGS			

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES
FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE




PLY1, 2, 3 & 4



CT1




CT2




CT3




CT4




ASV1




SV1




SV2



P1




P5




LAM1



SS1/ SSR



SV3




CP1



CM1

FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE




INTERNAL FINISHES SCHEDULE						
ROOM/SPACE		FLOOR/WALLS/CEILINGS			INT. DOORS & OPENINGS	FITTINGS & NOTES
No.	DESCRIPTION	LOCATION	MATERIAL	FINISH	FINISH	
1.0	CHANGE 1	FLOOR	SV1		ROLLER DRs & GUIDES = PC2	BENCH SEATS BS1 -MW1 SEAT SLATS, POWDERCOAT SEAT BRACKETS = PC3
2.0	CHANGE 2	WALLS TO 2500 AFL	PLY1	CF1	DOOR FRAME = P4a	
3.0	CHANGE 3	WALLS ABOVE 2500 AFL	FC1	P1	DOOR = P2a	
4.0	UMPIRES/REFEREES	SKIRTINGS	SK1			
	DUTY ROOM	CEILINGS	PLY3	CF1		
1.1	AMENITIES 1	FLOOR	ASV1	MFR	ROLLER DRs & GUIDES = PC2	SHOWER & TOILET CUBICLES = CUB1 TILE JAMBS OF OPENING REVEALS INTO AMENITIES = CT1
2.1/ 2.2	AMENITIES 2/ DDA	WALLS TO 2200 AFL	PB1	CT1+CT2		
3.1/ 3.2	AMENITIES 3/ DDA	WALLS ABOVE 2200 AFL	PB1	P1		
4.1	AMENITIES 4	SKIRTINGS	SK1			
		CEILINGS	PB3	P5		
5.0	UMP/ REF. CHANGE 1	FLOOR	ASV1	MFR	DOOR FRAME = P4a	
6.0	UMP/ REF. DDA	WALLS TO 2200 AFL	PB1	CT1+CT3	DOOR = P2a	
	CHANGE 2	WALLS ABOVE 2200 AFL	PB1	P1		
		SKIRTINGS	SK1			
		CEILINGS	PB3	P5		
7.1	SPECTATOR MALE WC	FLOOR	ASV1	MFR	DOOR FRAME = P4a	
7.2	SPECTATOR FEM. WC	WALLS TO 2200 AFL	PB1	CT1+CT3	DOOR = P2b	
7.3	SPECTATOR DDA WC	WALLS ABOVE 2200 AFL	PB1	P1		
		SKIRTINGS	SK1			
		CEILINGS	PB3	P5		
8.0	KIOSK	FLOOR	SV2	MFR	R8.1 ROLLER DRs & GUIDES = PC1	JOINERY FITOUT, REFER DRAWINGS -BENCHTOP, SPLASHBACK, FRAMES = SS1 SERVERY, REFER DRAWINGS -BECNHTOP =SSR REFER DETAILS -INSTALL FIRE-RESISTANT WALL LINING (SBB) WITH STAINLESS STEEL SHEET OVER TO COOKING AREA
		WALLS TO 2200 AFL	PB1	CT1+CT3	R8.2 ROLLER DRs & GUIDES = PC2	
		WALLS ABOVE 2200 AFL	PB1	P1	DOOR FRAME = P4a	
		SKIRTINGS	SK1		DOOR = P2a	
		CEILINGS	PB3	P5		
9.1	NETBALL REG.	FLOOR	CP1		R13.1 ROLLER DRs & GUIDES = PC1	SERVERY -REFER DRAWINGS -BECNHTOP =SSR
		WALLS	PB2	P1	DOOR FRAME = P4a	
		SKIRTINGS	SK2	CF1	DOOR = P2a	
		CEILINGS	PB4	P5		
9.2	NETBALL OFFICE	FLOOR	CP1		DOOR FRAME = P4a	
		WALLS	PB2	P1	DOOR = P2a	
		SKIRTINGS	SK2	CF1		
		CEILINGS	PB4	P5		
9.3	NETBALL MEETING	FLOOR	CP1/ CM1		EXISTING DOOR & FRAME	
		WALLS	EX.WALLS	P1	=REPAINT TO MATCH EXISTING	
		SKIRTINGS	SK2	CF1		
		CEILINGS	EX.PB	P5		
10.1	NETBALL INT. STORE	FLOOR	CON	SE1	DOOR FRAME = P4a	RACKING/ SHELVING -BY CLUB, NOT IN CONTRACT 10mm GAP BETWEEN FLOOR AND WALL LINING, SILICON SEALED
		WALLS	PLY2	CF2	DOOR = P2a	
		SKIRTINGS	N/A - REFER NOTES			
		CEILINGS	FC2	P5		

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES
FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



10.2	NETBALL STORAGE	FLOOR	EX.CON	SE1	DOOR FRAMES = P4a	RACKING/ SHELVING -BY CLUB, NOT IN CONTRACT
11.3	STORAGE	WALLS (TYPICAL)	EX.CON	NO WORKS	DOORS = P2a	INFILLS TO EXISTING BLOCKWORK OPENING ABOVE NEW DOORS, WITH MECH. SERVICES PENETRATIONS
		NEW STUD WALL INFILL ABOVE DOORS	PB1	P1		PROVIDE SHADOWLINE OR SIMILAR STOPPING BEAD TO ALL NEW WALL ENDS AND TOP AGAINST EXISTING BLOCKWORK OR CONCRETE AND FINISH JUNCTIONS WITH WHITE SILICON BEADS
		NEW INTERNAL DIVIDING WALL	FC1	P1		
		SKIRTINGS (TO NEW DIVIDING WALL)	SK3			
		CEILINGS	EX.CON	NO WORKS		
11.2	STORAGE	FLOOR	CON	SE1	DOOR FRAMES = P4a	RACKING/ SHELVING -BY CLUB, NOT IN CONTRACT
		WALLS	EX.CON	NO WORKS	DOORS = P2a	INFILLS TO EXISTING BLOCKWORK OPENING ABOVE NEW DOORS, WITH MECH. SERVICES PENETRATIONS
		NEW STUD WALL INFILL ABOVE DOORS	PB1	P1		
		SKIRTINGS	N/A			
		CEILINGS	EX.CON	NO WORKS		
10.3	NETBALL EXT. STORE	FLOOR	CON	SE1		RACKING/ SHELVING -BY CLUB, NOT IN CONTRACT
		WALLS	PLY2	CF2		10mm GAP BETWEEN FLOOR AND WALL LINING, SILICON SEALED
		SKIRTINGS	N/A - REFER NOTES			
		CEILINGS	PLY2	CF2		
11.1	CLEANERS/ STORAGE	FLOOR	EX.CON	SE1	DOOR FRAME = P4a	J01, REFER DRAWINGS -SHELVES = LAM4
		WALLS (TYPICAL)	EX.CON	NO WORKS	DOOR = P2a	INFILLS TO EXISTING BLOCKWORK OPENING ABOVE NEW DOOR, WITH MECH. SERVICES PENETRATION
		NEW STUD WALL INFILL ABOVE DOOR	PB1	P1		PROVIDE SHADOWLINE OR SIMILAR STOPPING BEAD TO ALL NEW WALL ENDS AND TOP AGAINST EXISTING BLOCKWORK OR CONCRETE AND FINISH JUNCTIONS WITH WHITE SILICON BEADS
		NEW INTERNAL DIVIDING WALL	FC1	P1		PROVIDE 1500H x 2000L SPLASHBACK TO WALLS BEHIND CLEANERS SINK AND WASHDOWN TAP
		CLEANERS SINK SPLASHBACK	FC1	CT4		
		SKIRTINGS (TO NEW DIVIDING WALL)	SK3			
		CEILINGS	EX.CON	NO WORKS		
12.1	ELEC. SERVICES	FLOOR	CON	SE1	DOOR FRAMES = P4a	SEALED SLAB FINISH
12.2	FHR SERVICES	WALLS	FC1	P1	DOORS = P4b	NOTE 12.1 TO BE SMOKE-SEALED LINED TO NCC CLAUSE D2.7
12.3	SERVICES	SKIRTINGS	N/A - REFER NOTES			10mm GAP BETWEEN FLOOR AND WALL LINING, SILICON SEALED
12.4	SERVICES	CEILINGS	FC2	P5		
13.4	MECH. DUCT	WALLS/TOP	FRW1	n/a		2-HR FIRE-RATED SHAFT TO APPROX. 1500 AFL FOR MECHANICAL SERVICES DUCTWORK AT UPPER FLOOR LEVEL
14.1	CORRIDOR 1	FLOOR	CM1/ SV3	MFR		REFER FITTINGS & EQUIPMENT SCHEDULE FOR EXTERNAL CORNER WALL GUARDS
14.3	CORRIDOR 3	WALLS	PB2	P1		
		SKIRTINGS	SK2			
		CEILINGS	PB4	P5		
14.2	CORRIDOR 2	FLOOR	SV3	MFR		EX. CORRIDOR LININGS MAY BE RETAINED WHERE PRACTICABLE, WITH MODIFICATIONS AS REQUIRED, NEW P1 PAINT FINISH, REFER FITTINGS & EQUIPMENT SCHEDULE FOR EXTERNAL CORNER WALL GUARDS
14.4	CORRIDOR 4	WALLS	PB2	P1		
14.5	CORRIDOR 5	SKIRTINGS	SK2			
		CEILINGS	PB4	P5		
15.0	EXISTING FIRST AID	FLOOR	EX.FLOOR	NO WORKS		
16.0	EXISTING CLEANERS	WALLS	EX.WALLS	NO WORKS		
		SKIRTINGS	EX.SKIRTING	NO WORKS		
		CEILINGS	EX.CEILINGS	NO WORKS		

FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



SANITARY FIXTURES & TAPWARE SCHEDULE								
NOTES: - WC SUITES (ACCESSIBLE AND AMBULANT WCs) TO INCLUDE CISTERN, SEAT, BACKREST (TO CARE SUITES) AND ALL CONNECTORS ETC. SEATS TO CARE SUITES TO BE CARAVELLE CARE, GREY COLOUR, ENSURE MIN. LUMINANCE CONTRAST OF 30% WITH THE BACKGROUND. ALLOW TO PROVIDE WALL EXTENSION TO ACCESSIBLE CARE PANS AS REQUIRED, FULLY TILED TO MATCH WALLS. - ALL WALL BASINS EXCEPT HB2 & HB4 TO HAVE CHROME-PLATED BOTTLE TRAP -IE CAROMA 687295C. ALL HB2 (CARE) BASINS TO HAVE TRAP SHROUD -IE CAROMA 873170W - CONTRACTOR TO CHECK & VERIFY SANITARY FIXTURE & TAPWARE MODEL NUMBERS, P-TRAP & S-TRAP WC LOCATIONS ETC -DO NOT ORDER DIRECT FROM SCHEDULE - COATHOOKS TO CHANGE AREAS (CHANGEROOMS + REFEREES/UMPIRES) & AMENITIES -TO BE ST/STEEL METLAM ML4159. TWO HOOKS PER ACCESSIBLE SHOWER CUBICLE, ONE PER WC CUBICLE AND AT 600 CENTRES ABOVE ALL BENCH SEATS - SHOWER HEAD (IE CENTRE OF ROSE) MOUNTING HEIGHT TO BE AT 2100 AFL. - BASINS WITHIN ACCESSIBLE WC CUBICLES TO BE INSTALLED AT A HEIGHT OF 830MM, AS PER AS1428.1								
RM. No.	SPACE	CODE	No.	ITEM	MANUFACT.	MODEL/DETAILS	FINISH	NOTES
1.1	AMENITIES 1	WC1	4	WC SUITE	CAROMA	LIANO CLEANFLUSH WALL FACED SUITE 766200W	WHITE	WITH CLOSE COUPLED CISTERN
2.1	AMENITIES 2	WC2	4	AMBUL. WC SUITE	CAROMA	LIANO CLEANFLUSH EASY HEIGHT WALL FACED SUITE 766450W	WHITE	WITH CLOSE COUPLED CISTERN & LIANO CARE DOUBLE FLAP WHITE SEAT, TO AS 1428.1
3.1	AMENITIES 3	GR1	4	WC GRABRAIL SET	TO APPROVAL	GRABRAILS TO AMBULANT CUBICLE	CHR/BRASS	TO SUIT WC INSTALLATION, COMPLIANT TO AS1428 ETC.
4.1	AMENITIES 4	TR1*	8	WC ROLL HOLDER	ESG	ESG FLETCHERS SLIM 3-ROLL CONTROLLED USE TOILET TISSUE DISPENSER, SD404, SKU NUMBER: 33371	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		HB1-L	11	HAND BASIN	CLARK	SQUARE WALL BASIN, LHS, CL40008.W1LH	WHITE	1 No. TAPHOLE, LEFT-HAND SIDE SHELF
		TP1	11	TAPWARE	ENWARE	VEGA SERIES BASIN MIXER, SLM606-6	CHROME	AERATED, WELS 6-STAR -TO HB1
		MR1	11	MIRROR	TO APPROVAL	6mm MIRRORED CFG TO SUIT	-	300W x 900H, INSET FLUSH WITH WALL TILING -REFER DRAWINGS FOR POSITION, TO HB1
		HD1	8	HAND DRYER	JD MCDONALD	TOUCHDRY, SG BUTTON & NOZZLE –HDTDWHTSG	WHITE	REFER DRAWINGS FOR MOUNTING POSITION. TO AS 1428 TO ACCESSIBLE CUBICLES
		SD1*	11	SOAP DISPENSER	GOJO	GOJO 5150 FMX MANUAL FOAM SOAP DISPENSER, SKU NUMBER: 00454	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		FW1	12	SHOWER WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT SHOWER	CHR/BRASS	TO SHOWERS AND ACCESSIBLE SHOWERS, REFER DRAWINGS FOR APPROX. LOCATIONS, TO AS1428
		FW2	4	FLOOR WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT FLOORING	CHR/BRASS	REFER DRAWINGS FOR APPROX. LOCATIONS
		WS1	12	SHOWER HEAD	CAROMA	CIVIC ANTI-LIGATURE WALL SHOWER, 96418C4E	CHROME	WELS 4 STAR FLOR RATE, 7.5L/min, FOR ST1
		ST1	12	SHWR TAPWARE	ENWARE	ENWARE SEQUENTIAL LEVA SHOWER MIXER	CHROME	TO WS1 & ST2
		SO1	12	SOAP HOLDER	METLAM	S/STEEL SOAP DISH ML241S	SATIN	TO SHOWERS. TO AS 1428 TO ACCESIBLE SHOWERS
		TP4	4	BOTTLE FILLER	BRITEX	WALL-MOUNTED BOTTLE FILLER TW-BF-WE	CHR/BRASS	MOUNTED AT 1000 AFL, REFER DRAWING FOR POSITION
		TP5	4	WASHDOWN BIB	ENWARE	KEY OPERATED HOSE TAP, VP350 M/F	CHROME	WALL MOUNT 800 AFL
		HAIR	2	HAIR DRYER	DOLPHY	WALL MOUNT DRYER (1800W-HOT & COLD) SKU P-DPH0017	WHITE	WALL MOUNT 1000 AFL, 1.1 AMENITIES 1 & 3.1 AMENITIES 3
		CH1	29	COATHOOKS	METLAM	S/STEEL COAT HOOK ML4158	SATIN	TO ALL WC & SHWR CUBICLE DOORS AND OVER SHOWER BENCHES AT 1350 TO 1500 ABOVE FLOOR. REFER NOTE 4 ABOVE FOR CHANGE AREA COATHOOKS
2.2	DDA WC	WC3	2	ACCESS. WC SUITE	CAROMA	CARE 660 CLEANFLUSH CONNECTOR SUITE, 982941BAG	WHITE	WITH GREY SINGLE FLAP SEAT AND BACKREST, TO AS 1428.1
3.2	DDA WC	GR2	2	WC GRABRAIL SET	CAROMA	GRABRAILS TO ACCESSIBLE CUBICLE -CARE SUPPORT GRAB RAIL - 90 DEGREE ANGLED 1110x1030x600	CHR/BRASS	R- OR L-HANDED TO SUIT WC INSTALLATION (& NOTE BACKREST), COMPLIANT TO AS1428 ETC.
		TR1*	2	WC ROLL HOLDER	ESG	ESG FLETCHERS SLIM 3-ROLL CONTROLLED USE TOILET TISSUE DISPENSER, SD404, SKU NUMBER: 33371	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		HB2	2	HAND BASIN	CAROMA	CARE 600 WALL BASIN, 873110W	WHITE	1 No. TAPHOLE, SETOUT TO AS1428, C/W CARE TRAP SHROUD 873170W
		TP2	2	TAPWARE	ENWARE	VEGA SERIES EXTEND. LEVER BASIN MIXER, SLM606-D6	CHROME	AERATED, WELS 6-STAR -TO HB2, TO AS1428
		MR2	2	MIRROR	TO APPROVAL	6mm MIRRORED CFG TO SUIT	-	400W x 1070H, INSET FLUSH WITH WALL TILING -REFER DRAWING FOR POSITION, TO HB2
		SL1	2	SHELF	METLAM	ML950-12, 300 WIDE x 128 DEEP	ST/STEEL	MOUNTED TO AS1428, ADJACENT HB2
		HD1	2	HAND DRYER	JD MCDONALD	TOUCHDRY, SG BUTTON & NOZZLE –HDTDWHTSG	WHITE	REFER DRAWINGS FOR MOUNTING POSITION. TO AS 1428 TO ACCESSIBLE CUBICLES
		SD1*	2	SOAP DISPENSER	GOJO	GOJO 5150 FMX MANUAL FOAM SOAP DISPENSER, SKU NUMBER: 00454	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		FW1	2	SHOWER WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT SHOWER	CHR/BRASS	TO SHOWERS AND ACCESSIBLE SHOWERS, REFER DRAWINGS FOR APPROX. LOCATIONS, TO AS1428
		ST1	2	SHWR TAPWARE	ENWARE	ENWARE SEQUENTIAL LEVA SHOWER MIXER	CHROME	TO WS1 & ST2

FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



		ST2	2	SHOWER TAPWARE	ENWARE	T-RAIL SHOWER SGR028 CTL OR CTR	CHROME	SHOWER SET WITH WALL-MOUNTED RAIL, INSTALL TO AS1428 (NOTE: CHECK L OR R)
		SO1	2	SOAP HOLDER	METLAM	S/STEEL SOAP DISH ML241S	SATIN	TO SHOWERS. TO AS 1428 TO ACCESIBLE SHOWERS
		SE1	2	SHOWER SEAT	METLAM	ML995_PH FOLD AWAY SHOWER SEAT	CHR/WHITE	PHENOLIC SEAT. MOUNTED TO AS1428 , SIZE 960W X 400D
		CUR1	2	SHW.CURTAIN	METLAM	MLSCT1616 SHOWER CURTAIN TRACK + CURTAIN	CHR/WHITE	1600 x 1600 WALL & CEILING-HUNG C/W MLSC SERIES NYLON CURTAIN, ALL TO AS 1428.1
		CH1	6	COATHOOKS	METLAM	S/STEEL COAT HOOK ML4158	SATIN	TO ALL WC & SHWR CUBICLE DOORS AND OVER SHOWER BENCHES AT 1350 TO 1500 ABOVE FLOOR. REFER NOTE 4 ABOVE FOR CHANGE AREA COATHOOKS
5.0	UMPIRES/REFS. CHANGE 1	WC1	1	WC SUITE	CAROMA	LIANO CLEANFLUSH WALL FACED SUITE 766200W	WHITE	WITH CLOSE COUPLED CISTERN
		TR1*	1	WC ROLL HOLDER	ESG	ESG FLETCHERS SLIM 3-ROLL CONTROLLED USE TOILET TISSUE DISPENSER, SD404, SKU NUMBER: 33371	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		HB1-L	1	HAND BASIN	CLARK	SQUARE WALL BASIN, LHS, CL40008.W1LH	WHITE	1 No. TAPHOLE, LEFT-HAND SIDE SHELF
		TP1	1	TAPWARE	ENWARE	VEGA SERIES BASIN MIXER, SLM606-6	CHROME	AERATED, WELS 6-STAR -TO HB1
		MR1	1	MIRROR	TO APPROVAL	6mm MIRRORED CFG TO SUIT	-	300W x 900H, INSET FLUSH WITH WALL TILING -REFER DRAWINGS FOR POSITION, TO HB1
		HD1	1	HAND DRYER	JD MCDONALD	TOUCHDRY, SG BUTTON & NOZZLE –HDTDWHTSG	WHITE	REFER DRAWINGS FOR MOUNTING POSITION. TO AS 1428 TO ACCESSIBLE CUBICLES
		SD1*	1	SOAP DISPENSER	GOJO	GOJO 5150 FMX MANUAL FOAM SOAP DISPENSER, SKU NUMBER: 00454	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		FW1	1	SHOWER WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT SHOWER	CHR/BRASS	TO SHOWERS AND ACCESSIBLE SHOWERS, REFER DRAWINGS FOR APPROX. LOCATIONS, TO AS1428
		ST1	1	SHWR TAPWARE	ENWARE	ENWARE SEQUENTIAL LEVA SHOWER MIXER	CHROME	TO WS1 & ST2
		ST2	1	SHOWER TAPWARE	ENWARE	T-RAIL SHOWER SGR028 CTL OR CTR	CHROME	SHOWER SET WITH WALL-MOUNTED RAIL, INSTALL TO AS1428 (NOTE: CHECK L OR R)
		SO1	1	SOAP HOLDER	METLAM	S/STEEL SOAP DISH ML241S	SATIN	TO SHOWERS. TO AS 1428 TO ACCESIBLE SHOWERS
		SE1	1	SHOWER SEAT	METLAM	ML995_PH FOLD AWAY SHOWER SEAT	CHR/WHITE	PHENOLIC SEAT. MOUNTED TO AS1428 , SIZE 960W X 400D
		CUR1	1	SHW.CURTAIN	METLAM	MLSCT1616 SHOWER CURTAIN TRACK + CURTAIN	CHR/WHITE	1600 x 1600 WALL & CEILING-HUNG C/W MLSC SERIES NYLON CURTAIN, ALL TO AS 1428.1
		TP5	1	WASHDOWN BIB	ENWARE	KEY OPERATED HOSE TAP, VP350 M/F	CHROME	WALL MOUNT 800 AFL
		HAIR	1	HAIR DRYER	DOLPHY	WALL MOUNT DRYER (1800W-HOT & COLD) SKU P-DPH0017	WHITE	WALL MOUNT 1000 AFL
		CH1	4	COATHOOKS	METLAM	S/STEEL COAT HOOK ML4158	SATIN	TO ALL WC & SHWR CUBICLE DOORS AND OVER SHOWER BENCHES AT 1350 TO 1500 ABOVE FLOOR. REFER NOTE 4 ABOVE FOR CHANGE AREA COATHOOKS
		BC1	1	BABY CHANGE	KOALA KARE	VERTICAL BABYCHANGE TABLE, KB301 WHITE GRANITE 05	WHITE	INSTALLATION TO AS1428.1
6.0	UMPIRES/REFS. DDA CHANGE 2	WC3	1	ACCESS. WC SUITE	CAROMA	CARE 660 CLEANFLUSH CONNECTOR SUITE, 982941BAG	WHITE	WITH GREY SINGLE FLAP SEAT AND BACKREST, TO AS 1428.1
		GR2	1	WC GRABRAIL SET	CAROMA	GRABRAILS TO ACCESSIBLE CUBICLE -CARE SUPPORT GRAB RAIL - 90 DEGREE ANGLED 1110x1030x600	CHR/BRASS	R- OR L-HANDED TO SUIT WC INSTALLATION (& NOTE BACKREST), COMPLIANT TO AS1428 ETC.
		TR1*	1	WC ROLL HOLDER	ESG	ESG FLETCHERS SLIM 3-ROLL CONTROLLED USE TOILET TISSUE DISPENSER, SD404, SKU NUMBER: 33371	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		HB2	1	HAND BASIN	CAROMA	CARE 600 WALL BASIN, 873110W	WHITE	1 No. TAPHOLE, SETOUT TO AS1428, C/W CARE TRAP SHROUD 873170W
		TP2	1	TAPWARE	ENWARE	VEGA SERIES EXTEND. LEVER BASIN MIXER, SLM606-D6	CHROME	AERATED, WELS 6-STAR -TO HB2, TO AS1428
		MR2	1	MIRROR	TO APPROVAL	6mm MIRRORED CFG TO SUIT	-	400W x 1070H, INSET FLUSH WITH WALL TILING -REFER DRAWING FOR POSITION, TO HB2
		SL1	1	SHELF	METLAM	ML950-12, 300 WIDE x 128 DEEP	ST/STEEL	MOUNTED TO AS1428, ADJACENT HB2
		HD1	1	HAND DRYER	JD MCDONALD	TOUCHDRY, SG BUTTON & NOZZLE –HDTDWHTSG	WHITE	REFER DRAWINGS FOR MOUNTING POSITION. TO AS 1428 TO ACCESSIBLE CUBICLES
		SD1*	1	SOAP DISPENSER	GOJO	GOJO 5150 FMX MANUAL FOAM SOAP DISPENSER, SKU NUMBER: 00454	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		FW1	1	SHOWER WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT SHOWER	CHR/BRASS	TO SHOWERS AND ACCESSIBLE SHOWERS, REFER DRAWINGS FOR APPROX. LOCATIONS, TO AS1428
		ST1	1	SHWR TAPWARE	ENWARE	ENWARE SEQUENTIAL LEVA SHOWER MIXER	CHROME	TO WS1 & ST2
		ST2	1	SHOWER TAPWARE	ENWARE	T-RAIL SHOWER SGR028 CTL OR CTR	CHROME	SHOWER SET WITH WALL-MOUNTED RAIL, INSTALL TO AS1428 (NOTE: CHECK L OR R)
		SO1	1	SOAP HOLDER	METLAM	S/STEEL SOAP DISH ML241S	SATIN	TO SHOWERS. TO AS 1428 TO ACCESIBLE SHOWERS
		SE1	1	SHOWER SEAT	METLAM	ML995_PH FOLD AWAY SHOWER SEAT	CHR/WHITE	PHENOLIC SEAT. MOUNTED TO AS1428 , SIZE 960W X 400D
		CUR1	1	SHW.CURTAIN	METLAM	MLSCT1616 SHOWER CURTAIN TRACK + CURTAIN	CHR/WHITE	1600 x 1600 WALL & CEILING-HUNG C/W MLSC SERIES NYLON CURTAIN, ALL TO AS 1428.1
		TP5	1	WASHDOWN BIB	ENWARE	KEY OPERATED HOSE TAP, VP350 M/F	CHROME	WALL MOUNT 800 AFL
		HAIR	1	HAIR DRYER	DOLPHY	WALL MOUNT DRYER (1800W-HOT & COLD) SKU P-DPH0017	WHITE	WALL MOUNT 1000 AFL
		CH1	3	COATHOOKS	METLAM	S/STEEL COAT HOOK ML4158	SATIN	TO ALL WC & SHWR CUBICLE DOORS AND OVER SHOWER BENCHES AT 1350 TO 1500 ABOVE FLOOR. REFER NOTE 4 ABOVE FOR CHANGE AREA COATHOOKS

FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



7.1	SPEC. M. WC	WC1	4	WC SUITE	CAROMA	LIANO CLEANFLUSH WALL FACED SUITE 766200W	WHITE	WITH CLOSE COUPLED CISTERN
7.2	SPEC. F. WC	WC2	2	AMBUL. WC SUITE	CAROMA	LIANO CLEANFLUSH EASY HEIGHT WALL FACED SUITE 766450W	WHITE	WITH CLOSE COUPLED CISTERN & LIANO CARE DOUBLE FLAP WHITE SEAT, TO AS 1428.1
		UR1	2	URINAL	CAROMA	CUBE SERIES II, ELECTRONIC FLUSH 678800W/ 678803	WHITE	COMPLETE IN-WALL INSTALLATION WITH ROUGH-IN KIT, POWER & SENSOR UNITS ETC.
		GR1	2	WC GRABRAIL SET	TO APPROVAL	GRABRAILS TO AMBULANT CUBICLE	CHR/BRASS	TO SUIT WC INSTALLATION, COMPLIANT TO AS1428 ETC.
		TR1*	6	WC ROLL HOLDER	ESG	ESG FLETCHERS SLIM 3-ROLL CONTROLLED USE TOILET TISSUE DISPENSER, SD404, SKU NUMBER: 33371	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		HB1-L	4	HAND BASIN	CLARK	SQUARE WALL BASIN, LHS, CL40008.W1LH	WHITE	1 No. TAPHOLE, LEFT-HAND SIDE SHELF
		TP1	4	TAPWARE	ENWARE	VEGA SERIES BASIN MIXER, SLM606-6	CHROME	AERATED, WELS 6-STAR -TO HB1
		MR1	4	MIRROR	TO APPROVAL	6mm MIRRORED CFG TO SUIT	-	300W x 900H, INSET FLUSH WITH WALL TILING -REFER DRAWINGS FOR POSITION, TO HB1
		HD1	4	HAND DRYER	JD MCDONALD	TOUCHDRY, SG BUTTON & NOZZLE –HDTDWHTSG	WHITE	REFER DRAWINGS FOR MOUNTING POSITION. TO AS 1428 TO ACCESSIBLE CUBICLES
		SD1*	4	SOAP DISPENSER	GOJO	GOJO 5150 FMX MANUAL FOAM SOAP DISPENSER, SKU NUMBER: 00454	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		FW2	2	FLOOR WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT FLOORING	CHR/BRASS	REFER DRAWINGS FOR APPROX. LOCATIONS
		TP5	2	WASHDOWN BIB	ENWARE	KEY OPERATED HOSE TAP, VP350 M/F	CHROME	WALL MOUNT 800 AFL
		CH1	6	COATHOOKS	METLAM	S/STEEL COAT HOOK ML4158	SATIN	TO ALL WC & SHWR CUBICLE DOORS AND OVER SHOWER BENCHES AT 1350 TO 1500 ABOVE FLOOR. REFER NOTE 4 ABOVE FOR CHANGE AREA COATHOOKS
7.3	SPEC. DDA WC	WC3	1	ACCESS. WC SUITE	CAROMA	CARE 660 CLEANFLUSH CONNECTOR SUITE, 982941BAG	WHITE	WITH GREY SINGLE FLAP SEAT AND BACKREST, TO AS 1428.1
		GR2	1	WC GRABRAIL SET	CAROMA	GRABRAILS TO ACCESSIBLE CUBICLE -CARE SUPPORT GRAB RAIL - 90 DEGREE ANGLED 1110x1030x600	CHR/BRASS	R- OR L-HANDED TO SUIT WC INSTALLATION (& NOTE BACKREST), COMPLIANT TO AS1428 ETC.
		TR1*	1	WC ROLL HOLDER	ESG	ESG FLETCHERS SLIM 3-ROLL CONTROLLED USE TOILET TISSUE DISPENSER, SD404, SKU NUMBER: 33371	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		HB2	1	HAND BASIN	CAROMA	CARE 600 WALL BASIN, 873110W	WHITE	1 No. TAPHOLE, SETOUT TO AS1428, C/W CARE TRAP SHROUD 873170W
		TP2	1	TAPWARE	ENWARE	VEGA SERIES EXTEND. LEVER BASIN MIXER, SLM606-D6	CHROME	AERATED, WELS 6-STAR -TO HB2, TO AS1428
		MR2	1	MIRROR	TO APPROVAL	6mm MIRRORED CFG TO SUIT	-	400W x 1070H, INSET FLUSH WITH WALL TILING -REFER DRAWING FOR POSITION, TO HB2
		SL1	1	SHELF	METLAM	ML950-12, 300 WIDE x 128 DEEP	ST/STEEL	MOUNTED TO AS1428, ADJACENT HB2
		HD1	1	HAND DRYER	JD MCDONALD	TOUCHDRY, SG BUTTON & NOZZLE –HDTDWHTSG	WHITE	REFER DRAWINGS FOR MOUNTING POSITION. TO AS 1428 TO ACCESSIBLE CUBICLES
		SD1*	1	SOAP DISPENSER	GOJO	GOJO 5150 FMX MANUAL FOAM SOAP DISPENSER, SKU NUMBER: 00454	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		FW2	1	FLOOR WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT FLOORING	CHR/BRASS	REFER DRAWINGS FOR APPROX. LOCATIONS
		TP5	1	WASHDOWN BIB	ENWARE	KEY OPERATED HOSE TAP, VP350 M/F	CHROME	WALL MOUNT 800 AFL
		CH1	2	COATHOOKS	METLAM	S/STEEL COAT HOOK ML4158	SATIN	TO ALL WC & SHWR CUBICLE DOORS AND OVER SHOWER BENCHES AT 1350 TO 1500 ABOVE FLOOR. REFER NOTE 4 ABOVE FOR CHANGE AREA COATHOOKS
		BC1	1	BABY CHANGE	KOALA KARE	VERTICAL BABYCHANGE TABLE, KB301 WHITE GRANITE 05	WHITE	INSTALLATION TO AS1428.1
8.0	KIOSK	KS1	1	KITCHEN SINK	TO APPROVAL	300 (W) X 300 (L) X 250 (D) INTEGRATED	ST/STEEL	FULLY INTEGRATED WITH STAINLESS BENCHTOP + INTEGRAL DRAINER, WASHUP
		KS2	1	KITCHEN SINK	TO APPROVAL	300 (W) X 300 (L) X 200 (D) INTEGRATED	ST/STEEL	FULLY INTEGRATED WITH STAINLESS BENCHTOP, WASHUP (note smaller second sink)
		TP3	1	TAPWARE	ENWARE	VEGA SINK MIXER SLM607D-6	CHROME	WELS 6 Star, WITH EXTENDED HANDLE, BENCHTOP-MOUNTED BETWEEN KS1/KS2
		TP9	1	TAPWARE	ENWARE	ULTRA-RINSE UNIT WITH CONCEALED MIXER & POT FILLER	CHROME	FHS121 HOB-MOUNTED AT KS1
		ZIP1	1	BOIL.WATER UNIT	ZIP	HYDROTAP G5 BC CLASSIC PLUS, BOILING AND CHILLED, H55784Z00AU	CHROME	BENCH-MOUNTED AT KS2 + UNDERBENCH UNIT PRODUCES 60 CUPS OF BOILING WATER & 75 CUPS OF CHILLED WATER PER HOUR, BASED ON 200ml CUPS)
		FW2	3	FLOOR WASTE	TO APPROVAL	CHROME-PLATED BRASS TO SUIT FLOORING	CHR/BRASS	REFER DRAWINGS FOR APPROX. LOCATIONS
		TP5	1	WASHDOWN BIB	ENWARE	KEY OPERATED HOSE TAP, VP350 M/F	CHROME	WALL MOUNT 800 AFL
		HB3	1	HANDWASH BASIN	CAROMA	CUBUS WALL BASIN, 633615W	WHITE	OVERFLOW, 1 No. TAPHOLE -SETOUT TO AS1428, INC. CHROME POP-UP PLUG + AND WASTE 687329C
		TP6	1	TAPWARE	ENWARE	VEGA SENSOR ACTIVATED BASIN TAP -ENM6222	CHROME	WELS 6-STAR, MAINS POWER, STANDARD SINGLE TEMPERATURE SETUP, TO HB3. COORDINATE WITH ELECTRICAL SERVICES FOR CONCEALED HARD-WIRED PO LOCATION BELOW BASIN (NO VISIBLE CABLE)
		SD1*	1	SOAP DISPENSER	GOJO	GOJO 5150 FMX MANUAL FOAM SOAP DISPENSER, SKU NUMBER: 00454	WHITE	*INSTALL ONLY, SUPPLIED BY OTHERS
		PD1*	1	PAPER TOWEL DISP.	ESG	ESG SIMPLICITY AUTO ROLL TOWEL DISPENSER HD503, SKU NUMBER: 26820	BLACK	*INSTALL ONLY, SUPPLIED BY OTHERS

Dock4 Architects

L4, 152 Elizabeth Street
Melbourne VIC 3000
+613 8376 6169

L1, 100 Collins Street
Hobart TAS 7000
+613 6231 0469

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES

FINISHES, SANITARY, DOOR, FITTINGS

and SIGNAGE SCHEDULE



11.1	CLEANERS/ STORAGE	CS1	1	CLEANERS SINK	STODDART	CS.01.450 CLEANER'S SINK	S/STEEL	C/W S/STEEL HINGED GRATE AND LEGS AND INTEGRAL SPLASHBACK
		TP8a	1	BIB TAP	ENWARE	WELLBEING LEVA 80mm BIB TAP - 15mm FEMALE - ANTI-CLOCKWISE-TO-CLOSE, RED INDICATOR (HOT)	CHROME	WALL MOUNTED ON SPLASHBACK ABOVE CLEANER'S SINK
		TP8b	1	BIB TAP	ENWARE	WELLBEING LEVA 80mm BIB TAP - 15mm FEMALE - CLOCKWISE-TO-CLOSE, BLUE INDICATOR (COLD)	CHROME	WALL MOUNTED ON SPLASHBACK ABOVE CLEANER'S SINK
		MP1	1	MOP RACK	METLAM	MOP & BROOM HOLDER, ML983-5	-	LOCATED ON OPPOSITE WALL TO CLEANERS SINK AT 1600 AFL
		TP7	1	WASHDOWN BIB	ENWARE	TYPE 47 SPRING ACTION BIB TAP FI 15mm - CAM ACTION, BUB208C	CHROME	WALL MOUNT 800 AFL (BUCKET FILLING)

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES
FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



WC1



HB1-L



TP1



TP2



TP3



TP4



TP5



TP6



TP7



TP8



WC2



HB2



TP9



ZIP1



KS1/ KS2



CS1



MP1



WC3



HB3



*TR1



CH1



HD1



*PD1



*SD1



SL1



UR1



SE1



ST1



ST2



WS1



SO1



HAIR

*ITEMS SUPPLIED BY OTHERS FOR BUILDER INSTALL ONLY


WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES
FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



DOOR SCHEDULE LEGEND				
FRAME CODE		SUNDRIES		NOTES
TMF	TIMBER FRAME (KDHW)	VP1	VISION PANEL -150w X 500h	ALL HARDWARE TO BE ASSA-ABLOY (LOCKWOOD) COMMERCIAL RANGE, AS SCHEDULED IN DOOR HARDWARE SCHEDULE (NOTE: HANDLES TO HAVE RETURNS TO AS1428.1). CLOSERS TO BE HEAVY-DUTY COMMERCIAL TYPE, MAX 20N FORCE, INTERNALLY-MOUNTED, INCL. OPENING DAMPER, ANGLED MOUNTING PLATE AND BACKCHECK. ALL DOORS TO EACH HAVE MIN. 1.5 PAIRS x 100 HEAVY-DUTY STAINLESS STEEL HINGES UNLESS NOTED OTHERWISE. DOORS MIN. 900MM CLEAR OPENING UNLESS NOTED OTHERWISE. DOORS TO AMBULANT WCs MIN 750MM CLEAR OPENING. EXTERNAL DOORS TO REQUIRE MAXIMUM OF 20N OF FORCE TO OPERATE AT DOOR HANDLE. MANUALLY OPERATED INTERNAL DOORS TO HAVE OPENING FORCE OF LESS THAN 20N. ALL SWING DOORS - SINGLE HAND DOWNWARD ACTION @1000 AFL OPENABLE WITHOUT THE USE OF KEY FROM EGRESS SIDE. DOOR HARDWARE TO COMPLY WITH AS1428.1 AND CLEARANCE OF 40mm TO BACKPLATE. ALL DOOR HANDLES TO BE INSTALLED AT 1000 AFL AND HAVE A LUMINANCE CONTRAST OF 30% TO DOOR LEAF. 30% LUMINANCE CONTRAST BETWEEN DOORS, WALLS AND/OR DOOR FRAME IS TO BE ACHIEVED. GR1 DOOR GRILLES -WIDTH TO BE AS DOOR x HEIGHT TO SUIT OPEN AREA AS REQUIRED ON MECH. SERVICES DRGS. IF NO DOOR GRILLE IS CALLED UP ON THE MECH. SERVICES DRGS, DOOR GRILLE IS STILL REQUIRED AND IS TO BE DOOR WIDTH x 200H. ALL ACCESS CONTROLS AND PUSH RELEASE BUTTONS TO BE INSTALLED AT 1000AFL AND MIN DISTANCE OF 500mm TO INTERNAL CORNER AND MAX DISTANCE OF 2m FROM DOORWAY. TACTILE AND BRAILLE SIGNS TO NCC CLAUSE 3 AND 6 OF SPECIFICATION D3.6 . TO AMBULANT AND ACCESSIBLE CUBICLE DOORS GENERALLY -INSTALL LIFT-OFF HINGES, IN-USE INDICATOR BOLT WITH MIN 45MM LONG-ARM SNIB TO AS1428.1. BILOCK CYLINDERS: SUPPLY AND INSTALL TEMPORARY CONSTRUCTION CYLINDERS AS REQUIRED, THEN INSTALL ONLY REPLACEMENT CYLINDERS SUPPLIED BY OTHERS (IE COUNCIL'S NOMINATED SECURITY CONTRACTOR) AT PROJECT COMPLETION
TJF	KDHW JOINERY FRAME/ LININGS	KP1	PAIR KICKPLATES 150 HIGH, STAINLESS STEEL	
GAL	GALVANISED PRESSED STEEL FRAME	WS1	WEATHER SEALS TO PERIMETER INCL. THRESHOLD (RAVEN OR EQUIV.)	
AWF	POWDERCOATED ALUMINIUM	AS1	ACOUSTIC SEALS TO HEAD & JAMBS (RAVEN OR EQUIV.)	
RGP	ROLLER SHUTTER/ GRILLE & GUIDES, PC	GR1	DOOR GRILLE -HEAVY DUTY, P'COATED TO MATCH DOOR -REFER NOTES FOR SIZE	
		UC1	UNDERCUT NOM 50MM, NO THRESHOLD	
		IBS	IN-USE INDICATION, BOLT AND SNIB MIN 45MM LONG, TO AS1428.1	
		AUTO	MOTORISED OPERATION	
		SM1	SMOKE SEALS, COMPLIANT TO NCC CLAUSE D2.7	
		NCL	NON-COMBUSTIBLE LINING TO DOOR INTERIOR FACE, COMPLIANT TO NCC CLAUSE D2.7	
LEAF CODE		OPERATION/KEYING SYSTEM		
SFT	SOLID CORE FLUSH TIMBER	BILOCK	INSTALL ONLY BILOCK CYLINDERS SUPPLIED BY COUNCIL'S SECURITY CONTRACTOR (SEE NOTES)	
SSFT	SEMI-SOLID CORE FLUSH TIMBER			
AFG	ALUMINIUM FRAMED & GLAZED	AC	ELECTRONIC ACCESS CONTROL -REFER ELECTRICAL DRAWINGS	
RSD	ROLLER SHUTTER/ GRILLE	WP1	MOTORISED AUTO OPERATION (REFER SPEC)	
		WP2	AUTO OPERATION WITH MOUNTED PUSH-BUTTON ESCAPE FUNCTION TO INSIDE WALL (REFER SPEC)	

DOOR SCHEDULE											
No.	ZONE/AREA	STYLE	MIN. CLEAR OPENG.	NOM. LEAF SIZE(S)	NOM. WALL OPENING	FRAME CODE	LEAF CODES	OP/KEY-ING	FINISH	SUNDRIES	NOTES
D1.0 D2.0 D3.0 D4.0	CHANGE 1 CHANGE 2 CHANGE 3 UMPIRE/REF.DUTY RM	Hinged	920	970 x 2040	1050 x 2100	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	KP1, GR1, AS1	LOCKING, CLOSER, HOLDOPEN.
R1.1 R3.1	CHANGE 1/2 CHANGE 3/4	Roller Shutter	3000	3000 x 2500	3000 x 2500	RGP	RSD	WP1	PC2	AUTO	MOTORISED AUTO OPERATION (REFER SPEC). GUIDES TO BE RECESSED INTO WALL FINISHES, REFER DETAIL
R1.2 R2.1	AMENITIES 1 AMENITIES 2	Roller Shutter	1200	1200 x 2100	1200 x 2100	RGP	RSD	WP1	PC2	AUTO	MOTORISED AUTO OPERATION (REFER SPEC). GUIDES TO BE RECESSED INTO WALL FINISHES, REFER DETAIL
D5.0 D6.0 D7.1 D7.2 D7.3	UMP./REF. CHANGE 1 UMP./REF. DDA CH. 2 SPEC. MALE WC SPEC. FEMALE WC SPEC. DDA WC	Hinged	920	970 x 2040	1050 x 2100	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	KP1, GR1	LOCKING, CLOSER, HOLDOPEN
D8.0	KIOSK	Hinged	920	970 x 2040	1050 x 2100	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	VP1, KP1, GR1	LOCKING, CLOSER, HOLDOPEN
R8.1	KIOSK	Roller Shutter	2400	2400 x 1270	2400 x 1270	RGP	RSD	WP2	PC1	AUTO	MOTORISED AUTO OPERATION (REFER SPEC). GUIDES TO BE RECESSED INTO WALL FINISHES, REFER DETAIL

FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



R8.2	KIOSK	Roller Shutter	2400	2400 x 1270	2400 x 1270	RGP	RSD	WP2	PC2	AUTO	MOTORISED AUTO OPERATION (REFER SPEC). GUIDES TO BE RECESSED INTO WALL FINISHES, REFER DETAIL
D9.1 D9.2 D10.1	NETBALL REG. NETBALL OFFICE NETBALL INT. STORE	Hinged	920	970 x 2040	1050 x 2100	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	KP1, GR1	LOCKING, CLOSER, HOLDOPEN
EX.D 9.3	NETBALL MEETING	Hinged	EX.	EX.	EX.	EX.	EX.	BILOCK	REFER INT. FINISHES SCHEDULE	KP1, GR1	EXISTING DOOR WITH NEW LOCK, NEW KICKPLATES, NEW DOOR GRILLE & REPAINTED
D10.2 D10.3 D11.1 D11.2 D11.3 D11.4 D11.5	NETBALL STORAGE NETBALL STORAGE CLEANER/ STORAGE STORAGE STORAGE STORAGE STORAGE	Hinged	NOM. 820+ 820 (CHECK EX. OPEN.)	NOM. 870+870 x 2040 (CHECK EXISTING OPENING WIDTH)	NOM.1820 X 2100 (CHECK EXISTING OPENING WIDTH)	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	GR1 x2	LOCKING, PAIR CLOSERS, HOLDOPEN BOTH LEAVES. DOOR WIDTHS TBC (TO FIT EXISTING REVEAL WIDTHS, WITH STUDWORK INFILL PANELS OVER FOR MECH. REGISTER/DUCT -REFER SERVICES DRGS & FINISHES SCHEDULE)
R10.4	NETBALL EXT. STORE	Roller Shutter	3500	3500 x 2700	3500 x 2700	RGP	RSD		PC1		MANUAL ROLLER SHUTTER AS PART OF PROPRIETARY SHED SUPPLY
D12.1	ELEC. SERVICES	Hinged	920+ 920	970+970 x 2040	2020 x 2100	TJF	SSFT	BILOCK	REFER INT. FINISHES SCHEDULE	SM1, NCL	LOCKING, PAIR CLOSERS, HOLDOPEN BOTH LEAVES, TOWER BOLTS TO INACTIVE LEAF. DOOR FRAME AND LEAFS FACE SET FLUSH TO CORRIDOR. NOTE CUPBOARD INTERIOR NON-COMBUSTIBLE COMPLIANT TO NCC CLAUSE D2.7
D12.2	SERVICES	Hinged	920+ 920	970+970 x 2040	2020 x 2100	TJF	SSFT	BILOCK	REFER INT. FINISHES SCHEDULE	GR1 x1	LOCKING, PAIR CLOSERS, HOLDOPEN BOTH LEAVES, TOWER BOLTS TO INACTIVE LEAF. DOOR FRAME AND LEAFS FACE SET FLUSH TO NETBALL MEETING
D12.3	SERVICES	Hinged	920	970 x 2040	1050 x 2100	TJF	SSFT	BILOCK	REFER INT. FINISHES SCHEDULE		LOCKING, CLOSER, HOLDOPEN. DOOR FRAME AND LEAFS FACE SET FLUSH TO NETBALL REG.
D14.1	CORRIDOR 1	Hinged	920+ 600	970+650 x 2040	1700 x 2100	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	AS1, VP1 (TO ACTIVE LEAF), KP1	LOCKING, PAIR CLOSERS, HOLDOPEN BOTH LEAVES, TOWER BOLTS TO INACTIVE LEAF.
D14.2	CORRIDOR 2	Hinged	920+ 400	970+450 x 2040	1500 x 2100	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	VP1 (TO ACTIVE LEAF), KP1	LOCKING, PAIR CLOSERS, HOLDOPEN BOTH LEAVES, TOWER BOLTS TO INACTIVE LEAF.
D14.3	CORRIDOR 3	Hinged	920+ 600	970+650 x 2040	1700 x 2100	TMF	SFT	BILOCK	REFER INT. FINISHES SCHEDULE	AS1, VP1 (TO ACTIVE LEAF), KP1	LOCKING, PAIR CLOSERS, HOLDOPEN BOTH LEAVES, TOWER BOLTS TO INACTIVE LEAF.
EX.D 15.1 EX.D 15.2	CORRIDOR 1 CORRIDOR 3	Hinged	EX.	EX.	EX.	EX.	EX.	EX.	EX.	EX.	EXISTING DOOR, NO WORK
EX.D 16.1 EX.D 16.2	FIRST AID FIRST AID	Hinged	EX.	EX.	EX.	EX.	EX.	EX.	EX.	EX.	EXISTING DOOR, NO WORK
D 17.0	GYM CONNECTION	Sliding	920	970 x 2040	1050 x 2100	TMF	SFT	AC	REFER INT. FINISHES SCHEDULE	AS1	LOCKING
D 18.0	UPPER FLOOR EXTERNAL DOOR	Hinged	920	970 x 2040	1050 x 2100	GAL	SFT	BILOCK	P3 PAINT FINISH	AS1	LOCKING, CLOSER, HOLDOPEN. ESCAPE FUNCTION.

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES
FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



FITTINGS & EQUIPMENT SCHEDULE							
ROOM/SPACE		ITEM			DETAILS		NOTES
No.	DESCRIPTION	DRG. CODE	SUPPLIER/MANUFACTURER/MODEL		No	MATERIAL, COLOUR	
8.0 KIOSK	DISPLAY FRIDGES	DF1	NOT IN CONTRACT	N/A	0	FRIDGE SPACE ALLOWED: 1200W X 750D mm. SUPPLIED & INSTALLED BY OTHERS, PROVIDE GPOs AS PER ELECTRICAL AND INTERNAL ELEVATION DRAWINGS	
						EXAMPLE USED FOR KITCHEN JOINERY SETOUT ONLY (FRIDGES NOT IN CONTRACT): POLAR G-SERIES HINGED DOOR UPRIGHT DISPLAY COOLER WITH LIGHT BOX, 950L, GE580-A, DIMENSIONS 2068H x 1200W x 728D mm	
8.0 KIOSK	REFRIGERATOR FREEZER	FR1 FZ1	NOT IN CONTRACT	N/A	0	FRIDGE/ FREEZER SPACE ALLOWED (2No.): 1350mm W X 650mm D. SUPPLIED & INSTALLED BY OTHERS, PROVIDE GPOs AS PER ELECTRICAL AND INTERNAL ELEVATION DRAWINGS	
						EXAMPLES USED FOR KITCHEN JOINERY SETOUT ONLY (FRIDGES NOT IN CONTRACT): POLAR C-SERIES, UPRIGHT FRIDGE, WHITE, 400L, PC003-A, DIMENSIONS 1855H x 600W x 635D mm POLAR C-SERIES, UPRIGHT FREEZER, WHITE, 365L, CD613-A, DIMENSIONS 1850H x 600W x 600D mm	
8.0 KIOSK	PIE WARMERS COFFEE MACHINE, BENCH AIR FRYER	N/A	NOT IN CONTRACT	N/A	0	N/A	SUPPLIED & INSTALLED BY OTHERS, PROVIDE GPOs AS PER ELECTRICAL AND INTERNAL ELEVATION DRAWINGS
8.0 KIOSK	WALL OVEN	OV1	WESTINGHOUSE		2	STAINLESS STEEL	WESTINGHOUSE, 600mm, MULTI-FUNCTION SIDE-OPENING OVEN, STAINLESS STEEL, WVES6314SD-L (DEFAULT DOOR HING: LEFT), DIMENSIONS 597H x 596W x 573D mm
8.0 KIOSK	COOKTOP	OV2	WESTINGHOUSE		1	BLACK	WESTINGHOUSE, 900mm, 4 ZONE CERAMIC COOKTOP, BLACK, WHC942BC, DIMENSIONS 46H x 900W x 520D mm
8.0 KIOSK	DISHWASHER	DW1	BOSCH SMU88TS02A		1	STAINLESS STEEL	BOSCH, UNDERBENCH DISHWASHER, SMU88TS02A, 598W x 573D X 875H mm
8.0 KIOSK	RANGEHOOD	RH1	REFER MECHANICAL SERVICES & INTERNAL ELEVATIONS DRAWINGS		1	STAINLESS STEEL	
EXTERNAL	BENCH SEATS	BS2	SEATS PLUS, DOUBLE PLANK BOLT-DOWN BENCH 3000L, HEIGHT TBC		3	POWDERCOAT FINISH, COLOUR TBC	PLAIN (NATURAL) FINISH, WITH & INLCUDING FLAT TOP SKATEBOARD DETERRENTS BY ENCAT, SDFT01, 3 No. PER BENCH SEAT. SEATS PLUS: 29 DRUMMOND ROAD, SHEPPARTON, VIC 3630 1800 722 726 info@seatsplus.com.au
	FIXED/ DROP DOWN SCREENS AND SCREEN PROJECTORS	N/A	SUPPLIED BY CLIENT	NOT IN CONTRACT	0	N/A	SUPPLIED & INSTALLED BY OTHERS, PROVIDE GPOs AND DATA CONNECTIONS AS PER ELECTRICAL AND INTERNAL ELEVATION DRAWINGS
14.1-14.5 CORRID- ORS	WALL CORNER GUARDS	N/A	50 x 50 S/S CORNER GUARD TO EXTERNAL CORNERS OF CORRIDOR WALLS, TO 1200 AFL		12	STAINLESS STEEL, SATIN FINISH	ALL EXPOSED EXTERNAL CORNERS, MIX OF NEW AND EXISTING LINGS

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES
FINISHES, SANITARY, DOOR, FITTINGS
and SIGNAGE SCHEDULE



SIGNAGE SCHEDULE							
NOTE: ALL SIGNAGE TO BE REVIEWED BY SIGNAGE SUPPLIER FOR COMPLIANCE BEFORE SUPPLY & INSTALLATION. ALL SILVER SIGNS ON WHITE WALLS TO HAVE BLACK BORDER FOR LUMINANCE CONTRAST							
1.1 2.1 3.1 4.1	AMENITIES 1 AMENITIES 2 AMENITIES 3 AMENITIES 4	SN1	BRAILLE UNISEX WC SIGN		4	SILVER POLY, 210 WIDE x 180 HIGH, MOUNTED ALONGSIDE AMENITIES ENTRY TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	REFER COMPLIANCE PLAN FOR LOCATION
1.1 2.1 3.1 4.1	AMENITIES 1 AMENITIES 2 AMENITIES 3 AMENITIES 4	SN2	BRAILLE UNISEX AMBULANT WC CUBICLE SIGN		4	SILVER POLY, 210 WIDE x 180 HIGH, MOUNTED ON WC DOOR/ CUBICLE DOOR TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	REFER COMPLIANCE PLAN FOR LOCATION
2.2 3.2 6.0	AMENITIES 2 AMENITIES 3 D6.0	SN3a & SN3b	BRAILLE UNISEX DDA WC & SHOWER SIGN		3	SILVER POLY, 310 WIDE x 180 HIGH, MOUNTED ON CUBICLE DOOR TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	CONFIRM LH/ RH, REFER COMPLIANCE PLAN FOR LOCATION
7.1 7.2	D7.1 D7.2	SN4a & SN4b	BRAILLE FEMALE/ MALE WC WITH AMBULANT WC CUBICLE SIGN		2	SILVER POLY, 210 WIDE x 180 HIGH, MOUNTED ON/ ALONGSIDE WC DOOR TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	CONFIRM MALE/ FEMALE (ONE OF EACH), REFER COMPLIANCE PLAN FOR LOCATION
7.1 7.2	SPEC. M. WC SPEC. F. WC	SN5a & SN5b	BRAILLE FEMALE/ MALE AMBULANT WC CUBICLE SIGN		2	SILVER POLY, 210 WIDE x 180 HIGH, MOUNTED ON CUBICLE DOOR TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	CONFIRM MALE/ FEMALE (ONE OF EACH), REFER COMPLIANCE PLAN FOR LOCATION
7.3	D7.3	SN6	BRAILLE UNISEX DDA WC & BABYCHANGE SIGN		1	SILVER POLY, 310 WIDE x 180 HIGH, MOUNTED ON WC DOOR TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	CONFIRM LH/ RH, REFER COMPLIANCE PLAN FOR LOCATION
5.0	D5.0	SN7	BRAILLE UNISEX WC, SHOWER & BABYCHANGE SIGN		1	SILVER POLY, 310 WIDE x 180 HIGH, MOUNTED ON WC DOOR TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	REFER COMPLIANCE PLAN FOR LOCATION
11.1	D11.1	SN8	BRAILLE CLEANER SIGN		1	SILVER POLY, 210 WIDE x 180 HIGH, MOUNTED ON WC DOOR TO AS1428.1. AND CLAUSE D3.6 NCC PICTOBRILLE (OR EQUAL TO APPROVAL)	REFER COMPLIANCE PLAN FOR LOCATION
INTERNAL	EXTERNAL EXIT DOORS	SN9	BRAILLE EXIT SIGN		TBC	SILVER POLY. MIN. 180 WIDE x 50 HIGH, MOUNTED TO INTERNAL WALL TO AS1428.1. PICTOBRILLE (OR EQUAL TO APPROVAL)	AT EXTERNAL DOORS HAVING ILLUMINATED EXIT SIGNAGE, LOCATIONS TBC ON SITE
INTERNAL	D1.0 D2.0 D3.0 D4.0	SN10	BRAILLE SIGNS OUTSIDE CHANGE ROOM DOORS	CHANGEROOM 1 CHANGEROOM 2 CHANGEROOM 3 UMPIRES/ REFEREES DUTY ROOM 4	4	STAINLESS STEEL MIN. 50mm HIGH, TO AS1428.1 AND CLAUSE D3.6 NCC PICTOBRILLE, WIDTH TO SUIT TEXT	VANDAL-PROOF, INTERNAL SIGN -FIXINGS TO APPROVAL, TEXT TO BE CONFIRMED BEFORE ORDERING, REFER DRAWING DETAILS FOR MOUNTING POSITIONS

Dock4 Architects

L4, 152 Elizabeth Street
Melbourne VIC 3000
+613 8376 6169

L1, 100 Collins Street
Hobart TAS 7000
+613 6231 0469

WANGARATTA SPORTS and AQUATIC CENTRE (WSAC) AMENITIES

FINISHES, SANITARY, DOOR, FITTINGS

and SIGNAGE SCHEDULE



INTERNAL	D8.0 D9.1 D9.2 EX.D 9.3 D10.1-D1.03 D11.2-D11.5 D12.1-D12.3	SN11	BRaille SIGNS OUTSIDE ROOM DOORS	KIOSK NETBALL REGISTRATION NETBALL OFFICE NETBALL MEETING NETBALL STORE STORE ROOM SERVICES	14	STAINLESS STEEL MIN. 50mm HIGH, TO AS1428.1 AND CLAUSE D3.6 NCC PICTOBRaille, WIDTH TO SUIT TEXT	VANDAL-PROOF, INTERNAL SIGN -FIXINGS TO APPROVAL, TEXT TO BE CONFIRMED BEFORE ORDERING, REFER DRAWING DETAILS FOR MOUNTING POSITIONS
EXTERNAL	EXTERNAL WALL	SN12	BRaille SIGN MOBILITY SCOOTER CHARGING		1	COLORBBOND STEEL 220 WIDE x 220 HIGH, MOUNTED ALONGSIDE CHARGING POINT TO AS1428.1. AND CLAUSE D3.6 PICTOBRaille (OR EQUAL TO APPROVAL)	REFER COMPLIANCE PLAN FOR LOCATION