

Rev Description A ISSUE FOR TENDER B TENDER ISSUE

LOCAL CENTRE MAINTENANCE MANAGER COMPUTER (REFER NOTE 4)

MOBILE DEVICE APP TO BE INSTALLED TO MONITOR PV SYSTEM DATA (REFER NOTE 4)

NEW 200kw TOTAL PV PANELS AT ROOF LEVEL (REFER NOTE 3)

- NOTES:
- 1. THE CONTRACTOR SHALL ENSURE THAT ALL POWER METERS INCORPORATE MODBUS COMPATIBLE COMMUNICATIONS PORTS.
- 2. THE CONTRACTOR SHALL LIMIT OVERALL EXPORT POWER TO GRID TO 100KW OR AS REQUIRED BY LOCAL SUPPLY AUTHORITY.
- 3. ALL INVERTERS OPERATE ON A SINGLE RS485 COMMUNICATIONS PLATFORM CAPABLE OF COMMUNICATING ENERGY PRODUCTION, ENERGY QUALITY & ALARM INFORMATION TO REMOTE MONITORING LOCATION VIA WEB BASED SOFTWARE PLATFORM.
- 4. THE CONTRACTOR SHALL ALLOW TO PURCHASE ANY REQUIRED PROPRIETARY SOFTWARE LICENSE AND INSTALL SUCH SOFTWARE ON THE MAINTENANCE MANAGER NOMINATED COMPUTER & NOMINATED MOBILE DEVICE (PHONE) WHICH WILL ALLOW ALL PV SYSTEM PERFORMANCE DATA TO BE VIEWED, STORED & MANIPULATED. REFER SPECIFICATION FOR FUTHER DETAILS.
- 5. ALLOW TO PROVIDE DEDICATED FIRE TRIP SIGNAL FROM DRY FIRE DETECTION SYSTEM TO AUTOMATICALLY SHUTDOWN PV SYSTEM OPERATION
- 6. ALLOW TO PROVIDE DEDICATED SIGNAL FROM GENERATOR CHANGEOVER SWITCH TO ISOLATE PV SYSTEM WHEN BUILDING IS RUNNING ON GENERATOR SUPPLY



SNOWY VALLEYS COUNCIL

PROJECT NAME: MULTI PURPOSE PLUS EVACUATION CENTRE

PROJECT ADDRESS: Lot 1, Section 81 DP 759004 & Lot 701 DP 1059193 RICHMOND PARK, TUMUT NSW

DRAWING TITLE: ELECTRICAL SERVICES PHOTOVOLTAIC SYSTEM **GENERAL SCHEMATIC**

SHEET ISSUE DATE:	24.02	2.2025	
REVISION DATE:			
scale:	NTS	@ B1	E-30
JOB NO.:	2	2-076	
DRAWN BY: JDC		C	CHECKED BY

