


ISSUE	DATE	DESCRIPTION
1	28/06/2024	UPDATED TENDER ISSUE



ALUMINIUM WINDOWS / DOORS FRAME TYPES
 F1 50 x 100 RECTANGULAR ALUMINIUM FRAMED ASSEMBLY FOR DOUBLE GLAZING. REFER TO GLASS TYPES FOR TOTAL SYSTEM U-VALUE AND SHGC. VALUES APPLY TO COMBINED FRAME & GLASS
 F2 50 x 75 RECTANGULAR ALUMINIUM TRANSOM
 F3 25 x 25 ALUMINIUM SHS TO BE APPLIED TO GLAZING AS FAUX TRANSOM

SLIDING DOORS: ALSPEC PROGLIDE HIGH PERFORMANCE SLIDING DOOR OR SIMILAR
 HINGED DOORS: ALSPEC SWAN EVO 45 OR SIMILAR

FRAME FINISHES
 PC POWDER COATED FINISH

GLASS TYPES
 GL51 TOTAL SYSTEM U-VALUE ≤ 3.0; SHGC ≤ 0.73 (-0.25) (DOUBLE GLAZING REQUIRED)
 AGG INSULGLASS LOW-E PLUS
 (6.38mm CLEAR LAMINATE / 12mm ARGON / 4mm LOW-E PLUS, TOUGHENED)

GL52 SAME AS GL51 WITH OPAQUE PRIVACY GLASS

ALL GLAZED WINDOWS, DOORS AND SHOPFRONTS TO COMPLY WITH THE REQUIRED U-VALUE AND SHGC. CONTRACTOR TO REFER TO THE SECTION J / JV3 REPORTS FOR DETAILS. EQUIVALENT GLAZING SPECS CAN BE PROPOSED FOR APPROVAL

ABBREVIATIONS
 F FIXED GLASS PANEL
 HSD HINGED SINGLE DOOR
 HDD HINGED DOUBLE DOOR
 SD SLIDING GLASS DOOR

OPAQUE GLASS

- GENERAL NOTES
- ALL GLAZING AND GLAZING THICKNESS TO COMPLY WITH AS1288:2006 AND AS2047:1999. CONTRACTOR TO VERIFY GLAZING THICKNESS COMPLIANCE WITH CODE.
 - CONTRACTOR TO SUBMIT SHOP DRAWINGS FOR APPROVAL.
 - GLAZING TO BE INSTALLED FULLY IN ACCORDANCE WITH MANUFACTURERS DETAILS AND RECOMMENDATIONS.
 - ALL DIMENSIONS TO BE SITE MEASURED AND CONFIRMED PRIOR TO ORDERING.
 - TO BE READ IN CONJUNCTION WITH DOOR SCHEDULE.
 - AUTOMATIC DOORS THAT REQUIRE SMOKE SEALS ARE TO BE SUITABLE FOR FULLY DEVELOPED FIRES EXCEEDING 600°C AND SMOKE BEYOND 200°C.
 - TOTAL BUILD UP OF WINDOW FRAME & GLAZING TO MEET U-VALUE AND SHGC VALUE SPECIFIED IN SECTION J REPORT.

CLIENT:
LIVERPOOL CATHOLIC CLUB

PROJECT:
**THURGOONA COUNTRY CLUB
 RESORT MOTEL
 1 EVESHAM PLACE THURGOONA
 NSW 2640**



DRAWING TITLE:
WINDOW SCHEDULE

NOTES:
 Nominated architect: Andrew O'Connell : 9018 (NSW)
 Copyright remains the property of Altis Design Pty Ltd.
 Use only figured dimensions.
 All discrepancies to be referred to Altis Design Pty Ltd prior to construction.
 Ensure compliance with the Building Code of Australia and all relevant Australian Standards and Authority requirements.

SCALE: As indicated @ A1	REVISION DATE: 28/06/2024
DRAWN BY: SA	CHECKED BY: DB
PROJECT NO: 3211.02	DRAWING NO: A5001
	REVISION: 1

01 TYP FRAME DETAIL
 Scale: 1 : 10

FOR TENDER